



A high-mobility two-dimensional electron gas at the spinel/perovskite interface of - $\text{Al}_2\text{O}_3/\text{SrTiO}_3$

Chen, Yunzhong

Publication date:
2013

[Link back to DTU Orbit](#)

Citation (APA):

Chen, Y. (2013). *A high-mobility two-dimensional electron gas at the spinel/perovskite interface of - $\text{Al}_2\text{O}_3/\text{SrTiO}_3$* . Abstract from DTU-WIS "Nano" workshop on "Interface and bulk conduction in oxide thin films", Rehovot, Israel.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

A high-mobility two-dimensional electron gas at the spinel/perovskite interface of $\gamma\text{-Al}_2\text{O}_3/\text{SrTiO}_3$

Yunzhong Chen

Department of Energy Conversion and Storage, Technical University of Denmark, Risø DTU Campus, Denmark

Email:yunc@dtu.dk

Abstract:

The discovery of two-dimensional electron gases (2DEGs) at the heterointerface between two insulating perovskite-type oxides, such as LaAlO_3 and SrTiO_3 [1], provides opportunities for a new generation of all-oxide electronic devices. Key challenges remain for achieving interfacial electron mobilities much beyond the current value of approximately $1000 \text{ cm}^2\text{V}^{-1}\text{s}^{-1}$ (at low temperatures) [2]. Here, we create a new type of 2DEG at the heterointerface between SrTiO_3 and a spinel $\gamma\text{-Al}_2\text{O}_3$ epitaxial film with compatible oxygen ions sublattices. Electron mobilities more than one order of magnitude higher than those of hitherto investigated perovskite-type interfaces are obtained. Particularly, electron Hall mobilities as large as $1.4 \times 10^5 \text{ cm}^2\text{V}^{-1}\text{s}^{-1}$ and n_s as high as $3.7 \times 10^{14} \text{ cm}^{-2}$ at 2 K is obtained at this spinel/perovskite complex oxide interface [2]. The spinel/perovskite 2DEG, where the two-dimensional conduction character is revealed by quantum magnetoresistance oscillations, is found to result from interface-stabilized oxygen vacancies confined within a layer of 0.9 nm in proximity to the interface. Our findings pave the way for studies of mesoscopic physics with complex oxides and design of high-mobility all-oxide electronic devices.

Reference:

1. A. Ohtomo & H. Y. Hwang, *Nature* **427**, 423-426 (2004).
2. J. Mannhart & D. G. Schlom, *Science* **327**, 1607-1611 (2010).
3. Y. Z. Chen, N. Bovet, F. Trier, D. V. Christensen, F. M. Qu, N. H. Andersen, T. Kasama, W. Zhang, R. Giraud, J. Dufouleur, T. S. Jespersen, J. R. Sun, A. Smith, J. Nygård, L. Lu, B. Büchner, B. G. Shen, S. Linderöth, N. Pryds. *Nat. Commun.* **4:1371**, doi: 10.1038/ncomms2394 (2013).

Yunzhong Chen: He received his Ph.D. in Condensed Matter Physics in 2009 from Institute of Physics, Chinese Academy of Sciences, China. He is currently a researcher in Technical University of Denmark. His research focuses on the creation and understanding of the interface phenomena in atomically engineered complex oxide heterostructures, in particular the high-mobility 2DEG at the interface between insulating oxides.